

**30
x
30**

CERAMIC FLOOR TILES



Company Profile

We are quality conscious group indulged in manufacturing & export of Digital Floor Tiles. Equipped with cutting edge technology our manufacturing plant is situated in Morbi, Gujarat. We have widespread network of Dealers & Distributors spread across all major states of India. We Regularly export our products, to more then 20 Countries including UAE, Shi Lanka, Mauritius, Canada, USA, South Korea, Taiwan, & South Africa.

"Quality, Creativity, and Reliability" are our core Values. Our quest to supply best in class quality to our customers is what separates us from competition. We make sure that each tile that comes out of our plant is masterpiece in itself.



COTTO

"Cotto Series is
a balanced solution
between tradition &
modernity, an elegant
interpretation of a
unique terracotta"

COTTO



Cotto Terracotta



Cotto Beige



COTTO



Cotto Ocean Green



Cotto Blue



COTTO




Cotto Steel Grey



Cotto Charcoal



COTTO



Cotto Bianco



Ash Grey



COTTO



M Yellow **NEW**



Cotto Mocha





MOROCCAN — TILE —

A collection of decorated
ceramic tiles for both
wall & floor adding
“AESTHETIC”
touch to the space.

Moroccan style **meets** India

MOROCCAN
— TILE —



M-10001



MOROCCAN
— TILE —



M-10002



MOROCCAN — TILE —




M-10003



M-10004




MOROCCAN
— TILE —



M-10005

 **RANDOM
DESIGN**



MOROCCAN
— TILE —



M-10008

 **RANDOM
DESIGN**



MOROCCAN
— TILE —



M-10009



MOROCCAN
— TILE —



M-10010



MOROCCAN
— TILE —



M-10011



MOROCCAN
— TILE —



M-10014



MOROCCAN
— TILE —



M-10018 **NEW**



MOROCCAN
— TILE —




M-10019 **NEW**

 **RANDOM
DESIGN**



MOROCCAN
— TILE —



M-10301



MOROCCAN
— TILE —



M-10102



MOROCCAN
— TILE —



M-10107



MOROCCAN
— TILE —



M-10108



MOROCCAN
— TILE —



M-10111




MOROCCAN
— TILE —



M-10114




MOROCCAN
— TILE —



M-10115



MOROCCAN
— TILE —



M-10116




MOROCCAN
— TILE —



M-10119



MOROCCAN
— TILE —



M-10121



MOROCCAN
— TILE —



M-10123



MOROCCAN
— TILE —



M-10124



MOROCCAN
— TILE —



M-10129



MOROCCAN
— TILE —



M-10132




Moroccan Series

MOROCCAN
— TILE —



M-10133




MOROCCAN
— TILE —



M-10134



MOROCCAN
— TILE —



M-10136 **NEW**



MOROCCAN
— TILE —



LUSTER EFFECT




M-10138 **NEW**



Moroccan Series

MOROCCAN
— TILE —



M-10139 **NEW**



MOROCCAN
— TILE —



M-10140 **NEW**



MOROCCAN
— TILE —



M-10141 **NEW**



MOROCCAN
— TILE —



M-10142 **NEW**



MOROCCAN
— TILE —



LUSTER EFFECT



M-10143 **NEW**



MOROCCAN
— TILE —



M-10144 **NEW**



MOROCCAN
— TILE —



LUSTER EFFECT



M-10145 **NEW**




MOROCCAN
— TILE —



M-10146 **NEW**




MOROCCAN
— TILE —



M-10161 **NEW**




MOROCCAN
— TILE —



M-10165 **NEW**



MOROCCAN
— TILE —



M-10166 **NEW**



MOROCCAN
— TILE —



LUSTER EFFECT



M-10126



MOROCCAN
— TILE —



M-10216



MOROCCAN
— TILE —



M-10220 **NEW**



MOROCCAN — TILE —



M-10201



M-10202



MOROCCAN
— TILE —



M-10203



MOROCCAN
— TILE —



M-10209



M-10210



MOROCCAN
— TILE —



M-10211




M-10212



MOROCCAN
— TILE —



M-10211



M-10215



MOROCCAN
— TILE —



M-10310



M-10311



TOUGH BEAUTY

Sparkle Effect

Scratch Proof

Anti Slip

Acid Proof

Stain Free



A sublime natural stone tile for those seeking an affluent look for their exterior and bathroom floors.

Bej Ceramic Rock tiles comes with following unique characteristics:

Rock Series



R-1 (White)



R-3 (Dark Grey)



Rock Series

ROCK
SERIES



R-2 (Light Grey)



R-4 (Black)



Rock Series

ROCK
SERIES



R-5 (Beige)



R-6 (Coffee)



Rock Series

ROCK
SERIES



R-9 (Magenta)




R-10 (Rust)



Rock Series

ROCK
SERIES



R-7 (Verde)



R-8 (Blue)



Jewel Series

Jewel Effect,

Anti Slip

Stain Resistant,

Suitable for

Bathroom Floor&Wall

Highly Durable


"A Designer bathroom
tile collection with rich
texture of sugar and
luxurious outlook.

Bej Ceramic Jewel Series
comes with following unique
characteristics:"

Jewel Series



J-1 (Bianco)



J-7 (Azul)



Jewel Series

Jewel
Series



J-2 (Blend)




J-9 (Choco)



Jewel
Series



J-4 (Pearl)



J-5 (Amber)



Jewel Series

Jewel
Series



J-12 (Grigio)



J-11 (Black Berry)



Jewel Series



J-3 (Gold)




J-8 (Cotto)



Jewel Series



J-14 (Avocado)




J-15 (Leaf)




Jewel Series


Jewel
Series



J-6 (Rosa)



J-16 (Aqua)



J-17 (Purple)






SWIMMING POOL

"A Versatile Collection of Swimming Pool Tank and Cladding Tiles"




SWIMMING POOL




DOLPHIN

SWIMMING POOL




SP-1




SP-12



SWIMMING POOL




SP-11




SP-13



SWIMMING POOL




SP-21




SP-22




SWIMMING POOL



SP-23 **NEW**



SWIMMING POOL




SP-24 NEW



SWIMMING POOL



SP-30 **NEW**



SP-31 **NEW**





A diagram illustrating the concept of solar reflectance. It shows a white circle representing a surface. Two yellow arrows point towards the circle from the left, representing incoming solar radiation. Two yellow arrows point away from the circle towards the upper right, representing reflected solar radiation.

SOLAR REFLECTANCE > 90%

300x300 | 9mm
CERAMIC FLOOR TILES



Cool Roof :

Reflects and emits the solar heat instead absorbing it there by cool roof keeps building cooler and reduces the amount of energy needed to cool the building.



EN 14411:2012
CERTIFICATION



ISO 9001:2015
CERTIFICATION

Member of.:



Certificate of Solar Reflectance

CEPT UNIVERSITY CEPT Research and Development Foundation, CEPT University
Test Report for Solar Reflectance Index (SRI)

Report No: CRDF/RPT/SRI/230 Report Date: 29th July 2016

Report of test carried out by CEPT Research and Development Foundation for Solar Reflectance Index of Supplied Material
The test results of the specimen submitted for Solar Reflectance Index on date 22nd July 2016 are as under:

1. Customer Information

1.1. Name of the Organization
1.2. Contact Person
1.3. Address

1.4. Phone Numbers
1.5. Fax Number
1.6. Email

2. Sample Details

2.1. Sample Identification Number
2.2. Date of Test
2.3. Name and any other pertinent
Identification of the material (including physical description): Cool Roof Tile (Sample 1)

2.4. Thickness of the specimen (Reported) : 7.5mm
2.5. Thickness as tested : Not Applicable
2.6. Condition of Sample when received : Satisfactory
2.7. Method and Environment used for conditioning (if used) : Not Applicable
2.8. No. of Surfaces : Not Applicable
2.9. The type of surfaces : Not Applicable
2.10. Position of panes (if Multiple Glazed) : Not Applicable
2.11. The position of coating(s) designating faces of the panes as 1, 2, 3 starting from the outer surface of pane 1:
Not Applicable
2.12. The face of the panes (if Coated) : Not Applicable
2.13. Instrument used : Spectrophotometer with integrating sphere with reference material Spectralone & FTIR with IR specular reflection set.
2.14. Boundary Conditions (Test Method) : As per ASTM E 1980-11, EN 673:2011, and EN 410:2011.
2.15. Tested By : Mr. Jiger Patel, Lab Technician

CEPT Research and Development Foundation, CEPT University, B. L. Campus, Gandhinagar, Ahmedabad - 382 015
Phone No. 079-35524755 Fax: 061-35524755 Email: cept@cept.ac.in
Page 2 of 2

CEPT UNIVERSITY CEPT Research and Development Foundation, CEPT University
Test Report for Solar Reflectance Index (SRI)

Report No: CRDF/RPT/SRI/230 Report Date: 29th July 2016

3. Results of the measurement:

Solar Direct Reflectance

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Cool Roof Tile (Sample 1)	SRI07/16/1231	0.7856	0.7856	0.7851	0.7854

Emissivity

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Cool Roof Tile (Sample 1)	SRI07/16/1231	0.834	0.834	0.834	0.834

Solar Reflectance Index (SRI) under different wind conditions

Sample name	Sample ID	Solar Reflectance Index (SRI)		
		Low Wind($\leq 5 \text{ W m}^{-2} \text{ K}^{-1}$)	Medium Wind($\sim 12 \text{ W m}^{-2} \text{ K}^{-1}$)	High Wind($\sim 30 \text{ W m}^{-2} \text{ K}^{-1}$)
Cool Roof Tile (Sample 1)	SRI07/16/1231	86	87	87

Surface Temperature (T_s) under different wind conditions

Sample name	Sample ID	Surface Temperature ($^{\circ}\text{C}$)		
		Low Wind($\leq 5 \text{ W m}^{-2} \text{ K}^{-1}$)	Medium Wind($\sim 12 \text{ W m}^{-2} \text{ K}^{-1}$)	High Wind($\sim 30 \text{ W m}^{-2} \text{ K}^{-1}$)
Cool Roof Tile (Sample 1)	SRI07/16/1231	51.4	45.8	41.4

4. Certificate of Accuracy:
This is to certify that the test results herein presented are, to the best of my knowledge, true and accurate representations of the samples submitted.


Yashraj Patel
Yashraj Patel
Technical Director
CEPT Research and Development Foundation
Disclaimer:

1. The CEPT Research and Development Foundation, CEPT University is not responsible for any kind of alterations in the physical property of the sample and the customer is solely responsible for it and its consequences.
2. Result relates to the sample tested only. Sample will be destroyed after 7 days of issue of the report unless specified by the customer.
3. Any complaints about the report should be communicated in writing within 7 days of issue of the report.
4. The test report shall not be reproduced fully or partially or in parts and cannot be used as an evidence in a court of law and shall be used in advertisement media without written approval of Director, CEPT Research and Development Foundation, CEPT University.

CEPT Research and Development Foundation, CEPT University, B. L. Campus, Gandhinagar, Ahmedabad - 382 015
Phone No. 079-35524755 Fax: 061-35524755 Email: cept@cept.ac.in
Page 2 of 2



30cmx30cm. 12 x12 inches **Rrctificado** Rectified



CR-11 (Alaska White)




Use of Tile Spacer is Mandatory
in Cool Roof Tiles



30cmx30cm. 12 x12 inches **Rrctificado** Rectified



DROPS
EFFECT




CR-12 (Sparkle White)



Use of Tile Spacer is Mandatory
in Cool Roof Tiles



30cmx30cm. 12 x12 inches **Rrctificado** Rectified




CR-13 (Cubic White)



Use of Tile Spacer is Mandatory
in Cool Roof Tiles



30cmx30cm. 12 x12 inches **Rrectificado** Rectified




CR-14 (Cubic Blue)



Use of Tile Spacer is Mandatory
in Cool Roof Tiles

TERRAZZO COLLECTION



Protective Effect

TERRAZZO



PROTECTIVE EFFECT



TZ-1 **NEW**



TZ-2 **NEW**



TERRAZZO



PROTECTIVE EFFECT




TZ-3 **NEW**




TERRAZZO



PROTECTIVE EFFECT



TZ-5 **NEW**



TZ-6 **NEW**




Digital Rustic Series





DG-3



DG-4






DG-21



DG-22






DG-41




DG-43




Digital Rustic Series



DG-62



DG-64



DG-65



Digital Rustic Series



DG-72



DG-74



Digital Rustic Series



DG-75 **NEW**



DG-76 **NEW**



DG-77 **NEW**



Digital Rustic Series



DG-91



DG-93



DG-94



Digital Rustic Series



DG-81



DG-86



DG-82



Digital Rustic Series



DG-83



DG-89



Digital Rustic Series



DG-301



DG-302





DG-113



DG-114





DG-101



DG-103






DG-322




DG-323




Digital Rustic Series



DG-131



DG-132



DG-133



Digital Rustic Series




DG-134



DG-135



Digital Rustic Series



DG-181



Digital Rustic Series

MISTY COTTO



DG-151

RANDOM
DESIGN




Ceramic Floor Tiles



Ceramic Floor Tiles

Running Plain Series



Super White - (100-SWP)



Ivory - (200)



Grey - (300)



Sky Blue - (400)

Special Plain Series



A-Blue - (700)



Terracotta - (800)




Magenta - (1100)



Black - (1200)

Running Anti-Skid Series



White - (151)



Ivory - (251)



Grey - (351)




Pink - (551)

Special Anti-Skid Series



A-Blue - (751)



Terracotta - (851)



Magenta - (1151)

Copper Cloudy



Copper Cloudy

Packing Details										
Size	Product	Piece/Box	Thickness	Coverage Sq. Mt.	Weight	Box/Container	Sqm./Container	Box/Pallet	Sqm./Pallet	Pallet/Container
30 x 30cm.	Digital Floor Tiles	9	7.5mm.	0.81	12.0 Kg	2290	1855	108	87.48	21

Note: It is strongly recommended to use spacers. Leave min 2MM gap between adjacent tiles to allow possible expansion as wall as to enhance aesthetics of laying.

DISCLAIMER: The rights to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications or aesthetic appearance of product/s contained in this catalogue at anytime without any prior notice. The colors shown of products in this catalogue are purely illustrative and limited to printing process. Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.

