



Exceeding The Limits To Always Get The Best


HIGH GLOSS

COLLECTIONS

800x1600 MM



CONNECTING THE VALUE OF SLAB





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

9 mm is set aside for the most demanding product applications such as wall & floor.

APPLICATION Areas

AIRPORT



STAIRCASE



INDUSTRIES



GYMNASIUMS



HOTELS



CORRIDORS HALLS



SCHOOLS



SUPER MARKET



OFFICE



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS





ALABASTER NATURAL

Random Face 3

FINISH



HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





AMAZING SILVER

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



AMIX GREY

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



AMIX SILVER

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



ARABESCATO GOLD PLUS

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



ARMANI GREY

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ARMANI BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





AMANI GRIS

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



AMIX CHOCO

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



AMAZING BROWN

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



ACRONGREY

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM









ARMANIVIGARIO

Random Face 8

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



BIANCO STATUARIO VENATO

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



BOTTOCHINO BEIGE

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BOTTOCHINO CREMA

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BRATVI WHITE

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BRESSIA ONICIATA GOLD

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BRECCIA AURORA

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





BRECCIA BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





BRECCIA ONICIATA

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





BRISK BOTTOCHINO BEIGE

Random Face 2

FINISH

HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





BRISK BOTTOCHINO CREMA

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BULLBERRY BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





BULLBERRY GREY

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





BRECCIA OLIVE

Random Face 3

FINISH

HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





BRECCIA OLIVE BM

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



BOTTOCINOFIORTO

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





CALACATTA

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CREMA MARFIL

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





CRIST BROWN

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





CRIST GREY

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CRIST SILVER

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CARRARA GOLD

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CERRATO

Random Face 6

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CORAL SILVER

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CREMA

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



CRIST BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





DYNA BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





DYNA CLASSIC

Random Face 2

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



DIANA PEARL

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





EMERALD SILVER

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



FLORENCE WHITE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





FANTASY GREY

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



FONTANA GREY

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





FONTANA MARFIL

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





FUSION BROWN

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



FUSION GREY

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



ICEY BROWN

Random Face 7

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



ICEY GREY

Random Face 7

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



INDIC BEIGE

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



INDIC GREY

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



INDIC SILVER

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



LASA VOLAKAS

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





LAVA STATUARIO

Random Face 3

FINISH



HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





LINIA WHITE

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



LORENZ CREMA

Random Face 5

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



LORENZ WHITE

Random Face 5

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



MARQUINA CREMA

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



MOON CREAM

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





MORRIS CIDER

Random Face 3

FINISH

HIGH GLOSS REGULAR



SIZE

800x1600 MM

THICKNESS

9 MM





MARVEL GOLD

Random Face 5

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



MARFIL BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





NOVANA BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ORIENT BEIGE

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



OTTOMAN ASH

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





OTTOMAN CREMA

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ONYX BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ONYX BIANCO

Random Face 3

FINISH


HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





ONYX CRYSTAL

Random Face 6

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



ONYX GREY

Random Face 6

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



ONYX KAISER

Random Face 6

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



OTTOMAN SAND

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





OROBICO GREY

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



PERLATO SICIALA

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





PULPISP ASH

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



PERSIA GREEN

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



PERSIA MINT

Random Face 4

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



ROSSO CREMA

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ROYAL ONYX

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





ROYAL BEIGE

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





STATUARIO ORO

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





STATUARIO SPIDER

Random Face 3

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





STATUARIO SPIDER BM

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



SUMMER WHITE

Random Face 3

FINISH



HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





SUMMER WHITE BM

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



SARRENONYX WHITE

Random Face 4

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



SMOKE GREY

Random Face 2

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



STATUARIO GREY

Random Face 3

FINISH


HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





STATUARIO LUCIDATO


Random Face 6



FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM





STATUARIO PEARL

Random Face 3

FINISH



HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





TARVENTINE

Random Face 2

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



THUNDER ONYX

Random Face 6

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



TURKISH GOLD ONYX

Random Face 4

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



TITAN GOLD

Random Face 3

FINISH

HIGH GLOSS REGULAR


SIZE

800x1600 MM

THICKNESS

9 MM





VINEER GOLD

Random Face 8

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



VINEER BLACK

Random Face 8

FINISH
HIGH GLOSS REGULAR

SIZE
800x1600 MM

THICKNESS
9 MM



VIOLA STATUARIO

Random Face 3

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM





VERA ONYX

Random Face 2

FINISH


HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM



VICTORIA ONYX

Random Face 6

FINISH

HIGH GLOSS REGULAR

SIZE

800x1600 MM

THICKNESS

9 MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% de ects free	> 95% de ects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mřm	Max. 132mřm	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. '0 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P ¹ (¹² - ²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polishe
** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Highgloss Regular	800x1600mm	9mm	2pc	27.55 Sq ft	53 Kgs