

Exceeding The Limits To Always Get The Best



800x1600 MM

#### CONNECTING THE VALUE OF SLAB






CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.




CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.



## **PRODUCT**Formats





The thicknesses are one of the most important elements characterizing.

9 mm is set aside for the most demanding product applications such as wall & floor.



#### **APPLICATION** Areas

**TECHNICAL** Features

AIRPORT

7

LIGHTWEIGHT

STAIRCASE



WATERPROOF

**INDUSTRIES** 

 $\bigoplus$ 

RESISTANT TO SCRATCHES

**GYMNASIUMS** 

 $\frac{1}{2}$ °

RESISTANT TO HIGH TEMPERATURES

Ц

EASY TO CLEAN

HOTELS

RESISTANT TO BENDING

**CORRIDORS HALLS** 



)

100% NATURAL

SCHOOLS

 $\bigcirc$ 

RECYCLABLE

SUPER MARKET



HYGIENIC

OFFICE

**\*** 

RESISTANT TO UV RAYS










#### BERLINSTONE BEIGE

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 








#### **BERLINSTONE BIANCO**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







#### **BERLINSTONE CREMA**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







#### **BRAZILLIAN BLUE**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 








# CANSAS GREY Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







### **CANSAS WENGE**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 









Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 







#### **EMERALD BEIGE**

Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 







### EMERALD GRIS

Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 











Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 











#### **EMINENT WOOD BROWN**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 








#### **EMINENT WOOD RARE**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 













FINISH MATT

SIZE **800**x **1600 MM** 







Random Face 3

FINISH MATT

SIZE **800**x **1600 MM** 
















#### HARBOUR BEIGE

Random Face 4

FINISH MATT

SIZE **800**x **1600 MM** 












#### HARBOUR BROWN

Random Face 4

FINISH MATT

SIZE **800**x **1600 MM** 











#### HARBOUR GREY

Random Face 4

FINISH MATT

SIZE **800**x **1600 MM** 











Random Face 4

FINISH MATT

SIZE **800**x **1600 MM** 





#### **IRON BLUE**

FINISH MATT

SIZE **800**x **1600 MM** 





#### **LEGNO CHERRY**

FINISH MATT

SIZE **800**x **1600 MM** 





#### LEGNO WENGE

FINISH MATT

SIZE **800**x **1600 MM** 





#### **MARAZZI CEMENTO**

FINISH MATT

SIZE **800**x **1600 MM** 






#### **MARAZZI CHOCO**

FINISH MATT

SIZE **800**x **1600 MM** 





#### **MARAZZI GRIGIO**

FINISH MATT

SIZE **800**x **1600 MM** 





### MARAZZI ORO

FINISH MATT

SIZE **800**x **1600 MM** 





#### NATURAL WOOD LIGHT

Random Face 3


FINISH MATT

SIZE **800**x **1600 MM** 











#### **MEGA SAND**

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







FINISH MATT

SIZE **800**x **1600 MM** 









#### POPLAR CREMA Random Face 3

FINISH MATT

SIZE 800x1600 MM












#### QUITEASH

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 







#### QUITEMIST

Random Face 2

FINISH MATT

SIZE **800**x **1600 MM** 






### STANNIC CREMA

FINISH MATT





### STANNIC WHITE

FINISH MATT








**TZ-01** 

FINISH MATT






**TZ-06** 

FINISH MATT





**TZ-07** 

FINISH MATT



#### Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
lodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

#### **Technical Specification**

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties —			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% de ects free	> 95% de ects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness ( Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <gloss td="" value<7<=""><td>Gloss Meter 60°</td></gloss>	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7 <gloss td="" value<18<=""><td>Gloss Meter 60°</td></gloss>	Gloss Meter 60°
Structural Properties —			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties ————			
Modulus of rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 42.0 N/mm²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness (755mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties ———	1300.0 11		
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm	Max. 132mm	ISO 10545-6
Thermal Hydrometric Properties ———	Mux. 17 Shiini	Wax. 132mm	130 10343 0
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 1 <del>0</del> 6	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0 Cycle	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties ————————————————————————————————————	as per ring.	FIOST FIOOI	130 10345-12
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties —			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0( $<^{12}$ ) / Posh $\ge P^1(^{12}-^24)$	BS 7976-2
Slip resistance(DCOF)( R value) ##	as per mfg.	R9 to R <sup>13</sup>	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

#### **Packing Details**

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Matt	800x1600mm	9mm	2pc	27.55 Sq ft	53 Kgs

<sup>\*</sup> With Nano polishe
\*\* Except Hydrofluoric Acid & it's compound
# Tiles Intended for use on floor
## As per customer requirement