

SNOW WHITE

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt



SANDAL BEIGE

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt

100X300MM▼ Plain Plain Bewel Bewel

GRAY

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt




AQUA

FORMAT

100x300mm / 100x200mm

SURFACE





SNOW WHITE

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt



SANDAL BEIGE

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt

100X300MM▼ Plain Plain Bewel Bewel

GRAY

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt




AQUA

FORMAT

100x300mm / 100x200mm

SURFACE




LIGHT KHAKHI

FORMAT

100x300mm / 100x200mm **SURFACE**

Glossy & Matt




SMOKE GRAY

FORMAT

100x300mm / 100x200mm

SURFACE





DARK KHAKHI

FORMAT

100x300mm / 100x200mm **SURFACE**

Glossy & Matt





Plain



Bewel

100X200MM▼



Plain



Bewel



CONCRETE GRAY

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt





OCEAN BLUE

FORMAT

100x300mm / 100x200mm

SURFACE





PONDS LOVENDER

FORMAT

100x300mm / 100x200mm SURFACE Glossy & Matt

100X300MM▼



Plain



Bewel

100X200MM▼



Plain



Bewel




TEA GREEN

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt





GRASS GREEN

FORMAT


100x300mm / 100x200mm **SURFACE**

Glossy & Matt



PINK

FORMAT



MANGO YELLOW

FORMAT

100x300mm / 100x200mm SURFACE

Glossy & Matt





Plain



Bewel

100X200MM▼



Plain



Bewel




BLOOD RED

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt



ROYAL BLUE

FORMAT

100x300mm / 100x200mm

SURFACE

Glossy & Matt

100X300MM▼ Plain Plain Bewel Bewel

Z-BLACK

FORMAT

100x300mm / 100x200mm

SURFACE


Glossy & Matt



CYAN BLUE

FORMAT

100x300mm / 100x200mm SURFACE





TECHNICAL SPECIFICATION

CHARACTERISITICS	EURO STANDARD	OUR VALUE	
DIMENSION & SURFACE QUALITY			
Dimension & Surface Quality	± 0.5%	± 0.2%	
Deviation in thickness	± 0.6%	± 0.2%	
Straightness of sides	± 0.3%	± 0.2%	
Rectangularity	± 0.5%	± 0.3%	
Surface Flatness	± 0.5%	± 0.3%	
Surface Quality	± Min 95%	± Min 96%	
PHYSICAL PROPERTIES			
Water Absorption	> 10 %	> 14-17%	
Bend Strength	> 150Kg./Cm	>200-250Kg./Cm	
Scratch Hardness (Moh's)	Min 3	Min 3	
Crazing	1 Cycle	No Craxing at 2 Cycle	
CHEMICAL PROPERTIES	'		
Staining Resistance	Min Class 2	Resistance To All Acids And Alkalies	
Household Chemical	Min Class B	Household Chemicals Except Hydro Fluric Acid	
THERMAL PROPERTIES			
Thermal Shoke	Resistant to 10 Cycle	Conforms	
Thermal Expansion	Max-9E-06	Conforms	

PACKING DETAILS

DIMENSION	TILES PER BOX (Pcs)	AREA COVERAGE PER BOX(SQ.FT.) APPROX	AREA COVERAGE PER BOX(SQ.MT.) APPROX	WEIGHT PER BOX(kG.) APPROX	THICKNESS(mm) Approx
100x300mm	33	10.65	0.99	13.50	8.00
100x200mm	50	10.76	1.00	13.00	8.00

NOTE:

Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer'snotice before laying the tiles.

Color Shown are indicative only. Check actual tiles for exact color.

The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding.

Customers are advised to inspect a sample of the tiles before ordering.

The company reserved the right to change the specification without prior notice.

APPLICATION



HOSPITAL



MALL





THEATER





HOUSE



DISCOTHEGES



AIRPORT

